EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	2	(((bus same interfac$4 same process$4) and (processor near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same ((transmi$6 transfer$6))) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet) and (tim$4 near5 stamp$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/07 13:15
S3	27	((((bus same interfac$4 same process$4) and (processor near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same (transmi$6 transfer$6) same status) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet) and (tim$4 near10 (packet data))) and (receiv$4 near5 (data packet))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/07 13:35
S4	4	((((bus same interfac$4 same process$4) and (processor near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same (transmi$6 transfer$6) same status) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet) and (tim$4 near10 (packet data))) and (receiv$4 near5 (data packet)) and ((ready readiness) near10 (data packet))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/07 14:12
S5	80	(rout$3 and (status near5 (data packet)) and (buffer$4 register$4) and poll$4 and ((transmi$7 transfer$4) near6 (data packet)) and (receiv$4 near6 (data packet)) and (flag $4 field bit) and (bus$4 near5 interfac$4)) and ((port near10 (availab$7)) near10 (transfer $4 transmi$6 receiv$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/08 15:07

S6	7	((rout$3 and (status near5 (data packet)) and (buffer$4 register$4) and poll$4 and ((transmi$7 transfer$4) near6 (data packet)) and (receiv$4 near6 (data packet)) and (flag $4 field bit) and (bus$4 near5 interfac$4)) and ((port near10 (availab$7)) near10 (transfer $4 transmi$6 receiv$4))) and ((register$4 near5 (transfer$4 transmi$6 receiv$4)) near10 interfac$4) and protect$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/08 15:17
S7	88	rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4) and (interfac$4 near10 connect$6) and (transfer$5 same stat$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/09 10:07
S9	13	(rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4)) and (stat$4 near7 register$4) and (automatic$6 same transfer$6) and (collect$6 near10 data)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/09 17:09
S10	156	(rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4)) and (((collect$4 sav$4 stor$4) near10 (data status packet) ready readiness acknoledg$5) and ((transmi$6 transfer$4) near10 (packet$4 data)) (unsolicit$4 solicit$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/09 17:11
S12	85	(rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4)) and ((buffer register memor$4) same allocat$5) and ((flag$4 bit field) same (packet data information) same receiv$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/09 17:20
S11	84	(rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4)) and ((buffer register memor$4) same (spac$4 room allocat$5) same receiv$4) and ((flag$4 bit field) same (packet data information) same receiv$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/09 17:20

S8	164	rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/10 08:58
S13	35	rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4) and (port near10 availab$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/10 09:23
S15	13	((flag$4 field bit) near6 port) and packet and ((buffer$4 register$4) near10 (writ$5 stor $4 sav$4) same receiv$4) and ((port near7 availab$7) near10 poll$4) and (second near10 bus) not (((flag$4 field bit) same port) and packet and (buffer$4 register$4) and (process$4 adj6 engin$4) and ((port same availab$7) same poll$4) and (second near10 bus))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/10 14:25
S16	12	((((bus same interfac$4 same process$4) and (process$4 near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same (transmi$6 transfer$6) same status) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet) and (tim$4 near10 (packet data))) and (receiv$4 near5 (data packet)) and ((ready readiness) near10 (data packet))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/11 13:54
S17	46	((((bus same interfac$4 same process$4) and (process$4 near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same (transmi$6 transfer$6) same status) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet) and (tim$4 near10 (packet data))) and (receiv$4 near5 (data packet)) and ((ready readiness) same (device computer server router switch port data packet) same (stat$4 transmi$8 transfer$6 send$4 forward$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/11 14:18

S18	9	(((bus same interfac$4 same process$4) and (process$4 near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same (transmi$6 transfer$6) same status) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet) and (tim$4 near10 (packet data))) and (receiv$4 near5 (data packet)) and ((ready readiness) same (device computer server router switch port data packet) same stat$4 same (transmi$8 transfer$6 send$4 forward$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/11 14:44
S19	6	(((bus same interfac$4 same process$4) and (process$4 near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same (transmi$6 transfer$6) same status) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet) and (tim$4 near10 (packet data))) and (receiv$4 near5 (data packet)) and ((ready readiness) same (device computer server router switch port data packet) same stat$4 same (transmi$8 transfer$6 send$4 forward$4)) and (stat$4 near11 (collect$7 gather$4 accumulat$6))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/11 14:50
S21	10	(rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4)) and ((poll$4 near5 (devic$4 router switch$4)) and (second near4 bus))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/11 16:37
S20	26	(rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4)) and (bus same interfac$4 same process$4) and (processor near3 parallel)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/11 16:37

S23	15	((rout$3 and (status near5 (data packet)) and (buffer$4 register$4) and poll$4 and ((transmi$7 transfer$4) near6 (data packet)) and (receiv$4 near6 (data packet)) and (flag$4 field bit) and (bus$4 near5 interfac$4)) and ((port near10 (availab$7)) near10 (transfer$4 transmi$6 receiv$4))) and ((register$4 near5 (transfer$4 transmi$6 receiv$4)) near10 interfac$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/11 16:38
S22	51	((flag$4 feild) near3 (free open space allocat$6) near4 (sav$4 buffer memor$4 stor$) same receiv$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/11 16:38
S24	82	rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4) and (port$4 near10 availab$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/15 13:47
S25	3	rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and poll$4 and (process$4 adj6 engin$4) and (port$4 near10 availab$7) and (stat$4 near4 (data information packet frame) same udp)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/15 13:54
S26	72	(rout$3 and (flag$4 field bit) and (buffer$4 register$4) and (port$4 near10 availab$7) and (stat$4 near4 (data information packet frame)) and ((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) with (schedul$4 que$4))) and ((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) same (independent$4 separat$5) same ((collect$5 sav$4 stor$4 receiv$4 request$5) with stat$4 with (data information packet frame datagram)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/15 14:05

S27	2	((((rout$3 and (flag$4 field bit) and (port$4 near10 availab$7) and (stat$4 near4 (data information packet frame)) and ((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) with (schedul$4 que$4)))) and (((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) same (independent$4 separat$5) same ((collect$5 sav$4 stor$4 receiv$4 request$5) with (state status) with (data information packet frame datagram)))) and (user near datagram near protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/15 15:41
S28	6	((((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) same (independent$4 separat$5) with (state status) with (data information packet frame datagram)) and (udp (user near datagram near protocol))) not (((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) same (independent$4 separat$5) same ((collect$5 sav$4 stor$4 receiv$4 request$5) with (state status) with (data information packet frame datagram))) and (udp (user near datagram near protocol)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/15 17:22
S1	124	(((bus same interfac$4 same process$4) and (processor near3 parallel)) and (((sav$4 stor$4 collect$5) near6 (information data)) same ((transmi$6 transfer$6))) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 12:55
S31	28	(((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) same (independent$4 separat$5) with (state status) with (data information packet frame datagram)) and (udp (user near datagram near protocol))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 20:46

S30	8	rout$3 and (flag$4 field bit) and packet and (buffer$4 register$4) and (process$4 adj6 engin$4) and ((port same availab$7) same poll$4) and (second near10 bus)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 20:46
S29	44	((rout$3 and (flag$4 field bit) and (port$4 near10 availab$7) and (stat$4 near4 (data information packet frame)) and ((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) with (schedul$4 que$4)))) and (((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) same (independent$4 separat$5) same ((collect$5 sav$4 stor$4 receiv$4 request$5) with (state status) with (data information packet frame datagram)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 20:46
S33	23	((((bus same interfac$4 same process$4) and (process$4 near3 parallel)) and ((((sav$4 stor$4 collect$5) near6 (information data)) same (transmi$6 transfer$6) same status) and (devic$4 near3 (network$4 router)) and ((transmi$6 transfer$6) near10 packet) and (tim$4 near10 (packet data))) and (receiv$4 near5 (data packet)) and ((ready readiness) near10 (device computer server router switch port data packet))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 20:47
S32	41	((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) same (independent$4 separat$5) same ((collect$5 sav$4 stor$4 receiv$4 request$5) with (state status) with (data information packet frame datagram))) and (udp (user near datagram near protocol))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 17:39

S35	2	710/1-74.ccls. and ((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) same (independent $4 separat$5) same ((collect$5 sav$4 stor$4 receiv$4 request $5) with (state status) with (data information packet frame datagram))) and (udp (user near datagram near protocol))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 17:42
S34	18	"709"/$.ccls. and ((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) same (independent $4 separat$5) same ((collect$5 sav$4 stor$4 receiv$4 request $5) with (state status) with (data information packet frame datagram))) and (udp (user near datagram near protocol))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 17:42
S37	12	710/1-74.ccls. and ((flag$4 field bit) same port) and packet and (buffer$4 register $4) and ((port same availab$7) same poll$4) and (second near10 bus) not (((flag$4 field bit) same port) and packet and (buffer$4 register$4) and (process$4 adj6 engin$4) and ((port same availab$7) same poll$4) and (second near10 bus))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 17:43
S14	52	((flag$4 field bit) same port) and packet and (buffer$4 register$4) and ((port same availab$7) same poll$4) and (second near10 bus) not (((flag $4 field bit) same port) and packet and (buffer$4 register $4) and (process$4 adj6 engin $4) and ((port same availab$7) same poll$4) and (second near10 bus))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 17:43
S38	1	709/200.ccls. and ((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) same (independent $4 separat$5) same ((collect$5 sav$4 stor$4 receiv$4 request $5) with (state status) with (data information packet frame datagram))) and (udp (user near datagram near protocol))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 17:45

S36	10	709/223-234.ccls. and (((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) same (independent$4 separat$5) same ((collect$5 sav$4 stor$4 receiv$4 request$5) with (state status) with (data information packet frame datagram))) and (udp (user near datagram near protocol))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 17:45
S39	6	(379/100.17 370/252-253,229-235).ccls. and ((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) same (independent$4 separat$5) same ((collect$5 sav$4 stor$4 receiv$4 request$5) with (state status) with (data information packet frame datagram))) and (udp (user near datagram near protocol))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 17:46
S40	7	709/238.ccls. and ((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) same (independent$4 separat$5) same ((collect$5 sav$4 stor$4 receiv$4 request$5) with (state status) with (data information packet frame datagram))) and (udp (user near datagram near protocol))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 14:54
S41	12	(379/100.17 370/252-253,229-235).ccls. and ((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) same (independent$4 separat$5) same ((collect$5 sav$4 stor$4 receiv$4 request$5) with (state status) with (data information packet frame datagram))) and (udp (user near datagram near protocol))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 14:55
S42	14	710/1-74.ccls. and ((flag$4 field bit) same port) and packet and (buffer$4 register$4) and ((port same availab$7) same poll$4) and (second near10 bus) not (((flag$4 field bit) same port) and packet and (buffer$4 register$4) and (process$4 adj6 engin$4) and ((port same availab$7) same poll$4) and (second near10 bus))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 14:58

S45	90	"710"/$.ccls. and (unsolicit$4 with (send$4 forward$4 transfer$5 transmit$5))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:03
S44	214	"710"/$.ccls. and unsolicit$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:03
S46	90	"710"/$.ccls. and (unsolicit$4 with (push$4 send$4 forward $4 transfer$5 transmit$5))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:04
S47	2099	"710"/$.ccls. and (automatic$5 with (push$4 send$4 forward $4 transfer$5 transmit$5))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:07
S48	10	("5872966" | "6058482" | "6131112" | "6167445" | "6255943" | "6260078" | "6301613" | "6308208" | "6327618" | "6336139").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/11 15:12
S49	5	S48 and (unsolicit$5 automatic $5)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/11 15:13
L2	5	709/220,238,242,253.ccls. and ((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) same (independent$4 separat$5) same ((collect$5 sav$4 stor$4 receiv$4 request$5) with (state status) with (data information packet frame datagram))) and (udp (user near datagram near protocol))	US-PGPUB	OR	ON	2009/05/12 14:16
L1	12	709/220,238,242,253.ccls. and ((transfer$6 transmi$7 send$4 forward$4 receiv$4) with (packet frame datagram) same (independent$4 separat$5) same ((collect$5 sav$4 stor$4 receiv$4 request$5) with (state status) with (data information packet frame datagram))) and (udp (user near datagram near protocol))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 14:16

5/ 12/ 09 2:25:06 PM
C:\ Documents and Settings\ DEngland\ My Documents\ EAST\ Workspaces\ 09473571.wsp